

# SAFETY DATA SHEET

### 1. Identification

Product identifier	Battery Fluid Acid
Other means of identification	None.
Recommended use	Electrolyte for Industrial/Commercial electrical storage batteries.
<b>Recommended restrictions</b>	None known.
Manufacturer/Importer/Supplier/	Distributor information
Manufacturer/Supplier	East Penn Manufacturing Company, Inc.
Address	102 Deka Road, Lyon Station PA 19536
Telephone number	(610) 682-6361
Contact person	East Penn EHS Department
Emergency telephone	USA/Canada: CHEMTREC (800) 424-9300, Outside USA 1 (703) 527-3887
number E-mail	contactus@eastpenn-deka.com

# 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
	Carcinogenicity	Category 1A
	Specific target organ toxicity, single exposure	Category 1 (respiratory system)
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity, repeated exposure	Category 1 (respiratory system)
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 3
OSHA defined hazards	Not classified.	
Signal word	Danger	
Hazard statement	Causes severe skin burns and eye damage. May cause cancer. May cause respiratory irritation. Causes damage to organs (respiratory system). Causes damage to organs (respiratory system) through prolonged or repeated exposure. Toxic to aquatic life. Harmful to aquatic life with long lasting effects.	
Precautionary statement		
Prevention	and understood. Do not breathe mist/vapors. I not eat, drink or smoke when using this produced	handle until all safety precautions have been read Use only outdoors or in a well-ventilated area. Do ct. Wear protective gloves/protective clothing/eye fter handling. Avoid release to the environment.
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse.	
Storage	Store in a well-ventilated place. Keep contained	er tightly closed.
Disposal	Dispose of contents/container in accordance w	with local/regional/national/international regulations.
Battery Fluid Acid		SDS US

#### 3. Composition/information on ingredients

Mixtures

Mixtures		
Chemical name	CAS number %	
Sulphuric acid	7664-93-9 30 - 43	
Composition comments	All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. Components not listed are either non-hazardous or are below reportable limit	
	The manufacturer has claimed the exact percentage as trade secret under the OSHA Hazard Communication Standard.	
4. First-aid measures		
Inhalation	Move injured person into fresh air and keep person calm under observation. Get medical attention immediately.	
Skin contact	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothin and shoes. Get medical attention immediately. Wash contaminated clothing before reuse.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medic attention immediately.	
Ingestion	Rinse mouth thoroughly with water. DO NOT induce vomiting because of danger of aspirating liquid into lungs. Get medical attention immediately.	
Most important symptoms/effects, acute and delayed	Exposure not expected under normal use conditions. Exposure to liquid causes serious eye and tissue damage. May cause serious chemical burns to the skin. Inhalation of mists/vapors of this product may cause headache, dizziness, nausea, and respiratory tract irritation.	
Indication of immediate medical attention and special treatment needed	Treat symptomatically.	
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.	
5. Fire-fighting measures		
Suitable extinguishing media	Dry chemical, foam, carbon dioxide.	
Unsuitable extinguishing media	Water used for fire extinguishing, which has been in contact with the product, may be corrosive.	
Specific hazards arising from the chemical	Sulfur trioxide (corrosive and toxic). Risk of fire and explosion on contact with metals as a result hydrogen formation. Containers may explode when heated.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.	
Fire fighting equipment/instructions	Use standard firefighting procedures and consider the hazards of other involved materials.	
General fire hazards	Substance does not burn but will support combustion.	
6. Accidental release meas	sures	
Personal precautions, protective equipment and emergency procedures	Wear appropriate personal protective equipment.	
Methods and materials for containment and cleaning up	Neutralize the spilled material before disposal. Stop the flow of material, if this is without risk. Sweep up or vacuum up spillage and collect in suitable container for disposal. Large spills may be neutralized with dilute alkaline solutions of soda ash, or lime. Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Dispose of waste and residues in accordance with local authority requirements.	

**Environmental precautions** Prevent runoff from entering drains, sewers, or streams.

### 7. Handling and storage

Precautions for safe handling

In the event of damage resulting in a leak of exposed materials, avoid contact with contents of an open or damaged cell or battery. Do not breathe mist or vapor. Do not get in eyes, on skin, on clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Use personal protective equipment as required. Wash thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices. Store in original tightly closed container. Protect containers from damage.

Conditions for safe storage, including any incompatibilities

# 8. Exposure controls/personal protection

#### **Occupational exposure limits**

Components	Туре	Value	
Sulphuric acid (CAS 7664-93-9)	PEL	1 mg/m3	
US. ACGIH Threshold Lim	it Values		
Components	Туре	Value	Form
Sulphuric acid (CAS 7664-93-9)	TWA	0.2 mg/m3	Thoracic fraction.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	
Sulphuric acid (CAS 7664-93-9)	TWA	1 mg/m3	
iological limit values	No biological exposure limits noted f	or the ingredient(s).	
ppropriate engineering ontrols	Provide adequate ventilation. Eye wan handling this product.	ash facilities and emergency sl	nower must be available when
ndividual protection measure	s, such as personal protective equipn	nent	
Eye/face protection	Wear safety glasses with side shield	s (or goggles).	
Skin protection			
Hand protection	Leak from a damaged or opened bat mm Breakthrough time: 0.153 or 0.3 supplier.		
Other	Wear suitable protective clothing. Use of an impervious apron is recommended.		commended.
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Gas mask with acid gas canister and high-efficiency particulate filter.		
Thermal hazards	When material is heated, wear glove	es to protect against thermal bu	irns.
eneral hygiene onsiderations	Always observe good personal hygie and before eating, drinking, and/or s equipment to remove contaminants.		
. Physical and chemica	l properties		
ppearance	Clear, colorless liquid.		
Physical state	Liquid		

Physical stateLiquid.FormSulfuric acid, liquid.ColorNot available.OdorOdorless.Odor thresholdNot available.pH<1	Appearance	
ColorNot available.OdorOdorless.Odor thresholdNot available.pH<1Melting point/freezing pointNot available.Initial boiling point and boiling range235.4 - 240.8 °F (113 - 116 °C)Flash pointNot available.	Physical state	Liquid.
OdorOdorless.Odor thresholdNot available.pH< 1	Form	Sulfuric acid, liquid.
Odor thresholdNot available.pH< 1	Color	Not available.
pH< 1	Odor	Odorless.
Melting point/freezing pointNot available.Initial boiling point and boiling range235.4 - 240.8 °F (113 - 116 °C)Flash pointNot available.	Odor threshold	Not available.
Initial boiling point and boiling range235.4 - 240.8 °F (113 - 116 °C)Flash pointNot available.	рН	< 1
rangeFlash pointNot available.	Melting point/freezing point	Not available.
	• •	235.4 - 240.8 °F (113 - 116 °C)
Evaporation rate < 1	Flash point	Not available.
	Evaporation rate	< 1

Battery Fluid Acid

Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	4 (as hydrogen gas)	
Flammability limit - upper (%)	74 (as hydrogen gas)	
Vapor pressure	13 mm Hg	
Vapor density	Not available.	
Relative density	1.2 - 1.3	
Solubility(ies)		
Solubility (water)	100 %	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	932 °F (500 °C) (as hydrogen gas)	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Other information		
Explosive properties	Not explosive.	
Oxidizing properties	Not oxidizing.	
10. Stability and reactivity	,	

Reactivity Chemical stability	The product is non-reactive under normal conditions of use, storage and transport. Exposure to contents of an open or damaged battery: Reacts violently with strong alkaline substances. Stable at normal conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Do not allow water to get into container because of reaction.
Incompatible materials	Reducing agents. Strong bases. Combustible organic materials. Finely divided metals. Strong oxidizers.
Hazardous decomposition products	At elevated temperatures: Sulfur dioxide. Sulfur trioxide. Carbon monoxide. Sulfuric acid. Hydrogen sulfide.

# 11. Toxicological information

#### Information on likely routes of exposure

Inhalation	Mist or vapor may irritate the respiratory system. Difficulty in breathing. Inhalation of vapors or mists will likely result in mild to severe irritation of the nose, throat and lungs, depending on airborne concentration.
Skin contact	Causes severe skin burns.
Eye contact	Causes severe eye burns.
Ingestion	Causes digestive tract burns. May be harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Exposure not expected under normal use conditions. Exposure to liquid causes serious eye and tissue damage. May cause serious chemical burns to the skin. Inhalation of mists/vapors of this product may cause headache, dizziness, nausea, and respiratory tract irritation.

#### Information on toxicological effects

Acute toxicity	May be harmful if swallowed.		
Components	Species	Test Results	
Sulphuric acid (CAS 7664-93-9	)		
<u>Acute</u>			
Oral			
LD50	Rat	2140 mg/kg	
Skin corrosion/irritation	Causes skin burns.		
Serious eye damage/eye irritation	Causes serious eye damage.		

Respiratory or skin sensitization		
<b>Respiratory sensitization</b>	Due to lack of data the classification is not possible.	
Skin sensitization	Due to lack of data the classif	fication is not possible.
Germ cell mutagenicity	Due to lack of data the classif	fication is not possible.
Carcinogenicity	The International Agency for Research on Cancer (IARC) has classified "strong inorganic acid mists containing sulfuric acid" as a known human carcinogen, (IARC category 1). This classification applies only to mists containing sulfuric acid and not to sulfuric acid or sulfuric acid solutions.	
IARC Monographs. Overall I	Evaluation of Carcinogenicity	
Sulphuric acid (CAS 7664-93-9) 1 Carcinogenic to humans. <b>NTP Report on Carcinogens</b>		1 Carcinogenic to humans.
Sulphuric acid (CAS 7664 OSHA Specifically Regulate	4-93-9) ed Substances (29 CFR 1910.1	Known To Be Human Carcinogen. 001-1053)
Not listed.		
Reproductive toxicity	Based on available data, the	classification criteria are not met.
Specific target organ toxicity - single exposure	May cause respiratory irritation	on. Causes damage to organs (respiratory system).
Specific target organ toxicity - repeated exposure	Causes damage to organs (re	espiratory system) through prolonged or repeated exposure.
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Chronic inhalation of sulfuric	acid mist may increase the risk of lung cancer.
Further information	Chronic inhalation of sulfuric	acid mist may increase the risk of lung cancer.
12. Ecological information	ı	
Fcotoxicity	Toxic to aquatic life. Harmful	to aquatic life with long lasting effects.

Ecotoxicity	Toxic to aquatic life. Harmful to aquatic life with long lasting effects.
Persistence and degradability	Not persistent.
Bioaccumulative potential	Potential to bioaccumulate is low.
Mobility in soil	Potential for mobility in soil is very high. Expected to be highly mobile in soil.
Other adverse effects	The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.

## 13. Disposal considerations

Disposal instructions	Neutralize electrolyte/sulfuric acid. Avoid discharge into water courses or onto the ground. Dispose of in accordance with local regulations.
Local disposal regulations	Empty containers should be taken to an approved waste handling site for recycling or disposal.
Hazardous waste code	D002: Corrosive waste
Waste from residues / unused products	Avoid discharge into water courses or onto the ground.
Contaminated packaging	Since emptied containers retain product residue, follow label warnings even after container is emptied.

# 14. Transport information

DOT
-----

UN number	UN2796
UN proper shipping name	Battery fluid, acid
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	II
Environmental hazards	
Marine pollutant	No
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	A3, A7, B2, B15, IB2, N6, N34, T8, TP2, TP12
Packaging exceptions	154
Packaging non bulk	202

Packaging bulk	242				
ΙΑΤΑ					
UN number	UN2796				
UN proper shipping name	Battery fluid,	acid			
Transport hazard class(es)					
Class	8				
Subsidiary risk	-				
Packing group Environmental hazards	ll No.				
ERG Code	NO. 8L				
Special precautions for user		instructions SE	S and emergency pro	cedures before handling	a
IMDG	rioud baloty		se and emergency pro		9.
UN number	UN2796				
UN proper shipping name	BATTERY F	LUID. ACID			
Transport hazard class(es)					
Class	8				
Subsidiary risk	-				
Packing group	II				
Environmental hazards					
Marine pollutant	No.				
EmS	F-A, S-B				
Special precautions for user	-		DS and emergency pro	cedures before handling	g.
Transport in bulk according to Not applicable.   Annex II of MARPOL 73/78 and Not applicable.					
the IBC Code					
15. Regulatory information	ו				
US federal regulations	This product	is a "Hazardou	s Chemical" as defined	by the OSHA Hazard	Communication
Standard, 29 CFR 1910.1200. Hazardous Chemical Reporting Requirements apply when an				ents apply when an	
	Extremely Hazardous Substance is present at a facility in an amount equal to or exceeding 500 pounds or the Threshold Planning Quantity, whichever is lower per 40CFR370.10(a)(1)				
	-			ever is lower per 40CFF	R370.10(a)(1)
TSCA Section 12(b) Exp	ort Notificatio	on (40 CFR 707	/, Subpt. D)		
Not regulated. CERCLA Hazardous Sul	bstance List (	40 CFR 302.4)			
Sulphuric acid (CAS SARA 304 Emergency re	,	ation	Listed.		
SULFURIC ACID (CA	AS 7664-93-9)		1000 LBS		
OSHA Specifically Regu	lated Substa	nces (29 CFR 1	1910.1001-1053)		
Not listed.					
<b>Toxic Substances Control Act (TSCA)</b> All components of the mixture on the TSCA 8(b) inventory are designated "active".					nventory are designated
Superfund Amendments and Re		•	ARA)		
SARA 302 Extremely hazard			These starts	Thursday	Thursday
Chemical name CAS	S number	Reportable quantity	Threshold planning quantity	Threshold planning quantity,	Threshold planning quantity,
		(pounds)	(pounds)	lower value	upper value
		(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	())	(pounds)	(pounds)
Sulphuric acid 766	4-93-9	1000	1000		
SARA 311/312 Hazardous	Yes				
chemical					
Classified hazard categories		on or irritation damage or eve	irritation		
categories Serious eye damage or eye irritation Carcinogenicity					
	Specific target organ toxicity (single or repeated exposure)				
SARA 313 (TRI reporting)					
Chemical name		CA	AS number	% by wt.	
Sulphuric acid		7	664-93-9	30 - 43	
•					

Other federal regulations						
Clean Air Act (CAA) Sect	ion 112 Hazardous Air	Pollutants (HAPs) List				
Not regulated.						
		elease Prevention (40 CFR 68.130)				
Sulphuric acid (CAS 7664-93-9)						
Safe Drinking Water Act (SDWA)	Safe Drinking Water Act Contains component(s) regulated under the Safe Drinking Water Act. (SDWA)					
Drug Enforcement A Chemical Code Num		st 2, Essential Chemicals (21 CFR 1310.02(b)	) and 1310.04(f)(2) and			
Sulphuric acid (C/ Drug Enforcement A		6552 st 1 & 2 Exempt Chemical Mixtures (21 CFR	1310.12(c))			
Sulphuric acid (C/ DEA Exempt Chemic	AS 7664-93-9) al Mixtures Code Numl	20 %WV				
Sulphuric acid (CA	AS 7664-93-9)	6552				
US state regulations						
US. Massachusetts RTK	- Substance List					
Sulphuric acid (CAS 7	664-93-9)					
US. New Jersey Worker a	and Community Right-te	o-Know Act				
Sulphuric acid (CAS 7						
US. Pennsylvania Worker		t-to-Know Law				
Sulphuric acid (CAS 7	664-93-9)					
US. Rhode Island RTK	004.00.0					
Sulphuric acid (CAS 7						
California Proposition 65						
		e you to Sulphuric acid, which is known to the Station go to www.P65Warnings.ca.gov.	tate of California to cause			
California Propositio	n 65 - CRT: Listed date	/Carcinogenic substance				
Sulphuric acid (CA		Listed: March 14, 2003				
		afer Consumer Products Regulations (Cal. C	ode Regs, tit. 22, 69502.3,			
Sulphuric acid (CA	AS 7664-93-9)					
International Inventories						
Country(s) or region	Inventory name		On inventory (yes/no)*			
Australia	-	<pre>/ of Chemical Substances (AICS)</pre>	Yes			
Canada	Domestic Substanc	es List (DSL)	Yes			
Canada	Non-Domestic Subs	stances List (NDSL)	No			
China	Inventory of Existing	g Chemical Substances in China (IECSC)	Yes			
Europe	•	of Existing Commercial Chemical	Yes			
Europe	European List of No	otified Chemical Substances (ELINCS)	No			
Japan	Inventory of Existing	g and New Chemical Substances (ENCS)	Yes			

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date	19-September-2017
Revision date	31-August-2020
Version #	04

Battery Fluid Acid

List of abbreviations References

Disclaimer

LD50: Lethal Dose 50%.

IARC Monographs. Overall Evaluation of Carcinogenicity Registry of Toxic Effects of Chemical Substances (RTECS)

EastPenn cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The information in this SDS was obtained from sources which we believe are reliable, but no warranty or representation as to its accuracy or completeness is hereby given. Users should consider the information herein only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal, the safety and health of employees and customers and the protection of the environment.