

SAFETY DATA SHEET	Revision Date: 08/01/2019
	Print Date: 7/25/2022
	SDS Number: R0172170
Valvoline™ GM Multipurpose Grease	Version: 1.4
VV610	

29 CFR 1910.1200 (OSHA HazCom 2012) SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

:

Product identifier

Trade name

Valvoline™ GM Multipurpose Grease

Details of the supplier of the safety data sheet	Emergency telephone number 1-800-VALVOLINE (1-800-825-8654)
Valvoline LLC 100 Valvoline Way Lexington, KY 40509	Regulatory Information Number 1-800-TEAMVAL (1-800-832-6825)
United States of America (USA) 1-800-TEAMVAL (1-800-832-6825)	Product Information 1-800-TEAMVAL (1-800-832-6825)
	1-000-1 LAWVAL (1-000-032-0023)
SDS@valvoline.com	

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : M

: Mixture

Hazardous components

Chemical name	CAS-No.	Classification	Concentration (%)
DIPHENYLAMINE	122-39-4	Acute Tox. 3; H301	>=0.50 - < 1.00
		Acute Tox. 3; H331	
		Acute Tox. 3; H311	
		Eye Irrit. 2A; H319	



SAFETY DATA SHEETRevision Date: 08/01/2019Print Date: 7/25/2022SDS Number: R0172170Valvoline™ GM Multipurpose GreaseValvoline ™ GM Multipurpose Grease

VV610

STOT RE 2; H373

SECTION 4. FIRST AID MEASURES					
General advice :	No hazards which require special first aid measures.				
If inhaled :	If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.				
In case of skin contact :	First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.				
In case of eye contact :	Remove contact lenses. Protect unharmed eye.				
If swallowed :	Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.				
Most important symptoms : and effects, both acute and delayed	No symptoms known or expected.				
Notes to physician :	No hazards which require special first aid measures.				

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam Carbon dioxide (CO2) Dry chemical
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: No hazardous combustion products are known
Specific extinguishing methods	: Product is compatible with standard fire-fighting agents.



SAFETY DATA SHEET	Revision Date: 08/01/2019
	Print Date: 7/25/2022
	SDS Number: R0172170
Valvoline™ GM Multipurpose Grease	Version: 1.4
VV610	

Further information	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.
Other information	:	Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8. 	
Conditions for safe storage	: Containers which are opened must be carefully resealed ar kept upright to prevent leakage.	nd
Materials to avoid	: No materials to be especially mentioned.	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control	Basis
		(Form of	parameters /	
		exposure)	Permissible	
			concentration	
DIPHENYLAMINE	122-39-4	TWA	10 mg/m3	ACGIH
		TWA	10 mg/m3	NIOSH REL



SAFETY DATA SHEETRevision Date: 08/01/2019Print Date: 7/25/2022Print Date: 7/25/2022SDS Number: R0172170Valvoline™ GM Multipurpose GreaseVV610

		TWA PEL	10 mg/m3 10 mg/m3	OSHA P0 CAL PEL
Engineering measures	General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.			
Personal protective equipment Respiratory protection :		espiratory protec	ctive equipment norm	nally
Eye protection :			nditions of use. Wea al could be misted or	
Skin and body protection :	Wear as appr Safety shoes Wear resistar supplier).		t your safety equipm	ent
Hygiene measures	General indu	strial hygiene pra	actice.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	gel
Colour	:	light brown
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	640 °F / 338 °C
Flash point	:	491 °F / 255 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Self-ignition	:	No data available



SAFETY DATA SHEET	Revision Date: 08/01/201
	Print Date: 7/25/202
	SDS Number: R017217
Valvoline™ GM Multipurpose Grease	Version: 1.
VV610	

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	not determined
Relative vapour density	:	No data available
Relative density	:	0.95 (60.1 °F / 15.6 °C)
Density	:	0.898 g/cm3 (68 °F / 20 °C)
Solubility(ies) Water solubility	:	negligible
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Ignition temperature	:	> 599 °F / > 315 °C
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	> 20.5 mm2/s (104 °F / 40 °C)
Oxidizing properties	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: Product will not undergo hazardous polymerization.
Conditions to avoid	: None known.
Incompatible materials	: None known.
Hazardous decomposition products	No hazardous decomposition products are known.



SAFETY DATA SHEETRevision Date: 08/01/2019Print Date: 7/25/2022SDS Number: R0172170Valvoline™ GM Multipurpose GreaseVV610

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes Inhalation Skin contact Eye Contact Ingestion Acute toxicity Not classified based on availa		
<u>Product:</u> Acute oral toxicity	:	Acute toxicity estimate (Rat): 3,019 mg/kg
		Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 200 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate (Rabbit): 169,492 mg/kg
		Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
<u>Components:</u> DIPHENYLAMINE:		
Acute oral toxicity	:	LD50 (Guinea pig): 300 mg/kg
Acute inhalation toxicity	:	Assessment: The component/mixture is classified as acute inhalation toxicity, category 3.
Acute dermal toxicity	:	Assessment: The component/mixture is classified as acute dermal toxicity, category 3.
Skin corrosion/irritation Not classified based on availa	able	information.
<u>Product:</u> Assessment	:	No skin irritation
Result	:	No skin irritation
<u>Components:</u> DIPHENYLAMINE:		
Result	:	Slight, transient irritation
Serious eye damage/eye irr Not classified based on availa		
<u>Product:</u> Result	:	No eye irritation
		C / 10



Revision Date: 08/01/2019

Print Date: 7/25/2022
SDS Number: R0172170

Version: 1.4

VV6<u>10</u>

SAFETY DATA SHEET

Valvoline[™] GM Multipurpose Grease

Assessment	:		No eye irritation
Remarks	:		Unlikely to cause eye irritation or injury.
<u>Components:</u> DIPHENYLAMI	NE:		
Result			Irritating to eyes.
Respiratory or Skin sensitisat	skin sensitisati	ioi	n
	ased on available	еi	nformation
Respiratory se			
	ased on available	e i	nformation.
Germ cell muta			
	ased on available	e i	nformation.
Carcinogenicit			
IARC	ased on available		nformation. this product present at levels greater than or equal to 0.1% is
IANC			ble, possible or confirmed human carcinogen by IARC.
OSHA			this product present at levels greater than or equal to 0.1% is regulated carcinogens.
NTP			this product present at levels greater than or equal to 0.1% is wn or anticipated carcinogen by NTP.
Reproductive t	oxicity		
	ased on available	e i	nformation.
STOT - single		-	
	ased on available	e i	nformation.
STOT - repeate			
	ased on available	e i	nformation.
Components: DIPHENYLAMI			
Exposure route:			Ingestion
Target Organs			Kidney, Liver
Assessment	:		May cause damage to organs through prolonged or repeated exposure.
Aspiration toxi Not classified ba	city ased on available	e i	nformation.
Product: No aspiration to	xicity classification	on	
Further inform	ation		

<u>Product:</u> Remarks

: No data available

SECTION 12. ECOLOGICAL INFORMATION



SAFETY DATA SHEET	Revision Date: 08/01/201
	Print Date: 7/25/202
	SDS Number: R017217
Valvoline™ GM Multipurpose Grease	Version: 1.
VV610	

Ecotoxicity <u>Product:</u> Ecotoxicology Assessment	
Short-term (acute) aquatic hazard	: Acute aquatic toxicity Category 3; Harmful to aquatic life.
Long-term (chronic) aquatic hazard	: Chronic aquatic toxicity Category 3; Harmful to aquatic life with long lasting effects.
<u>Components:</u> DIPHENYLAMINE:	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.27 - 0.36 mg/l Exposure time: 48 h Test Type: semi-static test
Toxicity to algae	 EC50 (Pseudokirchneriella subcapitata (green algae)): Estimated 2.17 mg/l End point: Growth inhibition Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): Estimated 0.37 mg/l End point: Growth inhibition Exposure time: 72 h Method: OECD Test Guideline 201
Ecotoxicology Assessment Short-term (acute) aquatic hazard	: Acute aquatic toxicity Category 1; Very toxic to aquatic life.
Long-term (chronic) aquatic hazard	: Chronic aquatic toxicity Category 1; Very toxic to aquatic life with long lasting effects.
Persistence and degradabilit <u>Components:</u>	у
DIPHENYLAMINE: Biodegradability	 Result: Not readily biodegradable. Biodegradation: 26 % Exposure time: 28 d Method: OECD Test Guideline 301D
No data available Bioaccumulative potential <u>Components:</u>	
DIPHENYLAMINE: Bioaccumulation	: Species: Pimephales promelas (fathead minnow) Bioconcentration factor (BCF): 30 Exposure time: 32 d Concentration: 0.0437 mg/l



Page: 9

SAFETY DATA SHEET

Revision Date: 08/01/2019

Valvoline™ GM Multipurpose Grease

VV610

Method: Flow through

No data available	
Mobility in soil	
Components:	
No data available	
Other adverse effects	
No data available	
Product:	
Additional ecological information	 An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life with long lasting effects.
Components:	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
General advice	: Dispose of in accordance with all applicable local, state and federal regulations.
	The product should not be allowed to enter drains, water courses or the soil.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good



SAFETY DATA SHEET	Revision Date: 08/01/201
	Print Date: 7/25/202
	SDS Number: R017217
Valvoline™ GM Multipurpose Grease	Version: 1.4
VV610	

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

DSL	: A	All components of this product are on the Canadian DSL
AICS	: N	Not in compliance with the inventory
ENCS	: N	Not in compliance with the inventory
KECI	: N	Not in compliance with the inventory
PICCS	: N	Not in compliance with the inventory
IECSC	: N	Not in compliance with the inventory
TCSI	: N	Not in compliance with the inventory
TSCA	: 0	On TSCA Inventory

TSCA list

No substances are subject to TSCA 12(b) export notification requirements. Inventories


AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information

Valvoline.	Page: 11
SAFETY DATA SHEET	Revision Date: 08/01/2019
	Print Date: 7/25/2022
	SDS Number: R0172170
Valvoline™ GM Multipurpose Grease	Version: 1.4
VV610	

Revision Date: 08/01/2019



NFPA Flammable and Combustible Liquids Classification Combustible Liquid Class IIIB

Full text of H-Statements

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure
	if swallowed.

Sources of key data used to compile the Safety Data Sheet Valvoline internal data including own and sponsored test reports The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department (1-800-VALVOLINE).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

CMR : Carcinogenic, Mutagenic or Toxic for Reproduction



Revision Date: 08/01/2019

Version: 1.4

Valvoline[™] GM Multipurpose Grease

SAFETY DATA SHEET

VV610

FG : Food grade GHS : Globally Harmonized System of Classification and Labeling of Chemicals. H-statement : Hazard Statement IATA : International Air Transport Association. IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization" IMDG : International Maritime Code for Dangerous Goods ISO : International Organization for Standardization logPow : octanol-water partition coefficient LCxx : Lethal Concentration, for xx percent of test population LDxx : Lethal Dose, for xx percent of test population. ICxx : Inhibitory Concentration for xx of a substance Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified OECD : Organization for Economic Co-operation and Development **OEL** : Occupational Exposure Limit P-Statement : Precautionary Statement PBT : Persistent, Bioaccumulative and Toxic **PPE : Personal Protective Equipment** STEL : Short-term exposure limit STOT : Specific Target Organ Toxicity TLV : Threshold Limit Value TWA : Time-weighted average vPvB : Very Persistent and Very Bioaccumulative WEL : Workplace Exposure Level CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act DOT : Department of Transportation FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act HMIRC : Hazardous Materials Information Review Commission HMIS : Hazardous Materials Identification System NFPA : National Fire Protection Association

NIOSH : National Institute for Occupational Safety and Health

OSHA : Occupational Safety and Health Administration

PMRA : Health Canada Pest Management Regulatory Agency

RTK : Right to Know

WHMIS : Workplace Hazardous Materials Information System